

Procalcitonin (PCT) Monoclonal Antibody

67

- Product name:** Monoclonal antibody anti Human Procalcitonin
Catalog.No.: DM-PCT-mab3
SPECIFICITY: Reacts with Human Procalcitonin and katacalcin
Form: Powder (Freeze Dried)
Immunogen: Human Recombinant Procalcitonin
Type: IgG1-k
Application: Sandwich ELISA in combination with DM-PCT-mab1
Purity: More than 90%
Format: Powder (Freeze Dried), BALB/C Mouse Implantation
Ascites, Protein A, Ammonium sulfate precipitation
Presentation: 0.1mol/L Phosphate Buffer
Storage: After completely dissolved, packaging, cryopreservation
Caution: No test can guarantee a product to be non-infectious. Therefore all material derived from human fluids be considered as potentially infectious.
For research or In vitro diagnostics reagents and laboratory only and is not intended for use humans or animals.



Procalcitonin (PCT) Monoclonal Antibody

68

| | |
|-----------------------|--|
| Product name: | Cell line used for fusion, chimeric antibody |
| Catalog.No.: | DM-PCT-001 |
| Application: | CLIA, Lateral flow |
| Format: | Liquid |
| Buffer: | Transparent Liquid, HAC/Tris, sterilized |
| Usage: | Coating |
| Protein | Request |
| Concentration: | |
| Storage: | -20°C |
| Exp: | One year |
| Caution: | No test can guarantee a product to be non-infectious. Therefore all material derived from human fluids be considered as potentially infectious. For research or In vitro diagnostics reagents and laboratory only. |



Procalcitonin (PCT) Monoclonal Antibody

69

| | |
|-----------------------|--|
| Product name: | Specific for G-17 antigen |
| Catalog.No.: | DM-PCT-002 |
| Immugen: | Human PCT |
| Application: | CLIA, Latex, IF |
| Format: | Liquid |
| Buffer: | PBS, sterilized |
| Usage: | Labeling |
| Protein | Request |
| Concentration: | |
| Storage: | -20°C, Avoid repeated freeze/thaw cycle |
| Exp: | One year |
| Caution: | No test can guarantee a product to be non-infectious. Therefore all material derived from human fluids be considered as potentially infectious. For research or In vitro diagnostics reagents and laboratory only. |

